Journal of Orthopaedic Research
17:954-956 The Journal of Bone and Joint Surgery, Inc.
© 1999 Orthopaedic Research Society

Journal of Orthopaedic Research

Volume 17, 1999

AUTHOR INDEX

Adam C, 532
Aebi M, 495
Agel J, 101
Agrawal CM, 9, 725
Ahsan T, 850
Aizawa H, 168
Akeson WH, 755
Akisue T, 695
Allen CR, 37
Allen RG, 430
Alman BA, 633
Amiel D, 745, 777, 850
An K-N, 668
Anderson GL, 571
Andrulis IL, 633
Arnold AS, 279
Årøen A, 763
Aronsson DD, 518
Aspenberg P, 200
Ates Y, 793
Athanasiou K, 880
Athanasiou KA, 725
Athanasou NA, 686
Atkinson PJ, 28
Attia ET, 398, 748
Aufdemorte TB, 607
Aydelotte MB, 110

Bacci G, 629
Badger AM, 836
Bakker FC, 654
Baldini N, 629
Bank RA, 870
Banks MA, 51
Bauer TW, 695
Beaupré GS, 509, 646
Beavis AJ, 748
Behrens FF, 149
Bell RS, 633
Bennett AP, 67
Berger U, 261
Bertoni-Freddari C, 624
Bhargava MM, 398, 748
Bhashyam S, 321
Bi Y, 51
Biskobing DM, 639
Blanchard CR, 9, 446
Block JA, 935
Blunn G, 311
Bolander ME, 488, 920, 926
Boos N, 495
Boshuizen K, 654
Bouwmeester P, 843
Bouxsein ML, 661
Boyan BD, 9, 246, 446
Boyer MI, 777
Bragdon C, 525
Brand RA, 1, 309
Brånemark P-I, 891
Bray RC, 578
Brodt MD, 777
Bronk JT, 920
Brown M, 409
Buckwalter JA, 1, 155, 307, 459
Bulstra S, 843
Burchfield DM, 405
Burr DB, 59
Burstein D, 430
Burton-Wurster N, 870

Campanacci M, 629
Campbell P, 157, 329
Caplan AI, 205, 246, 900
Carlin CR, 803
Carlin G, 168
Carlin GJ, 763
Carlson CS, 437
Carroll NC, 279
Carter DR, 509, 646
Caterson B, 110
Chadha HS, 376
Chan ADM, 223
Chan RC, 578
Chang WCW, 582
Chao EYS, 540, 817
Chen C-T, 870
Chen L-E, 88, 293, 415, 714
Chien S, 121, 891
Chillemi C, 624
Chin VI, 836
Choi YW, 149
Christensen TM, 582
Clancy R, 598
Clark JM, 793
Clasper JC, 947
Clevenger C, 405
Cochran DL, 446
Cook M, 836
Couillaud S, 301
Crisco JJ, 96

Dahners LE, 793
Damron TA, 286
Damyanovich AZ, 223
Davies J, 261
De Deyne PG, 560
Dean DD, 9, 446
Debski RE, 769
DeCamp CE, 28
DeCoster TA, 238
DeFouw DO, 149
Deie M, 37
Delgado-Martínez AD, 793
Della Valle CJ, 437
Delp SL, 279
den Boer FC, 654
Dennerlein JT, 178
Dennis JE, 205
DesJardins JD, 540, 817
Di Cesare PE, 437, 598
Diao E, 178
Dinopoulos H, 777
Donahue HJ, 421
Ducheyne P, 340

Eckstein F, 532
Edberg JC, 748
Eger W, 858
Ehler W, 246
Eick JD, 214
Einhorn TA, 149
El-Ghannam A, 340
Elias JJ, 540
Elliott DM, 503
Ellis KD, 121
Engelberg R, 101
Erickson GR, 421
Evans CH, 37

Fan X, 639
Fang C, 437
Faust AF, 540
Fisher JS, 409
Fitzgerald RH Jr, 376, 382
Fitzsimmons JS, 668, 926
Forrester K, 578
Forsgren S, 554
Fortier LA, 467, 475
Forwood MR, 59
Foster RJ, 732
Fox WC, 607
Freed LE, 130
Freeman MAR, 3
Fridén J, 554
Fu FH, 769
Fujii H, 80, 368
Fukuda H, 392
Fukuda K, 593
Fukuoka S, 80, 368

Ganz R, 495
Gelberman RH, 777
Georgescu HI, 37
Gigante A, 624
Godard A, 301
Gokgoz N, 633
Gold JM, 437
Goldberg VM, 51, 205, 803
Goldner RV, 293
Goldstein SA, 900
Goodman SB, 797
Goodship AE, 725
Goomer RS, 745
Gotoh M, 392
Gouin F, 301
Goulet JA, 900
Gowen M, 836
Grande DA, 421
Gray ML, 430
Greco F, 624
Green C, 168
Greenfield EM, 51, 803
Greenleaf JF, 488
Grodzinsky AJ, 130, 836
Guicheux J, 301
Guilak F, 421, 503

Haarman HJThM, 654
Haas NP, 678
Hadjiargyrou M, 354
Hagino T, 232
Hamada K, 392
Hamada Y, 232
Hamanishi C, 593
Hanel D, 793
Hannafin JA, 398, 748
Hansson U, 311
Hara F, 593
Haraguchi K, 784
Harner CD, 763
Harris WH, 525
Hart DA, 738
Harwood F, 850
Hashimoto Y, 695
Haut RC, 28
Hayatsu K, 560
Hayes WC, 459
Healy KE, 615
Heckman JD, 246
Heegaard JH, 509
Hertz H, 261
Herzenberg JE, 560
Heymann D, 301
Hildebrand KA, 37
Höher J, 763
Hollinger JO, 269
Homandberg GA, 858
Hopyan S, 633
Hornstein AM, 935
Hotokebuchi T, 80, 368, 920
Howie DW, 686
Hsieh AH, 755
Hsu K-H, 709
Hsu T-C, 709
Hughes CE, 110
Huibregtse BA, 900
Hurtig M, 909
Hurwitz SR, 155
Hvaal K, 720
Hwang K, 269

Journal of Orthopaedic Research
17:954-956 The Journal of Bone and Joint Surgery, Inc.
© 1999 Orthopaedic Research Society

Journal of Orthopaedic Research

Volume 17, 1999

AUTHOR INDEX

Adam C, 532
Aebi M, 495
Agel J, 101
Agrawal CM, 9, 725
Ahsan T, 850
Aizawa H, 168
Akeson WH, 755
Akisue T, 695
Allen CR, 37
Allen RG, 430
Alman BA, 633
Amiel D, 745, 777, 850
An K-N, 668
Anderson GL, 571
Andrulis IL, 633
Arnold AS, 279
Årøen A, 763
Aronsson DD, 518
Aspenberg P, 200
Ates Y, 793
Athanasiou K, 880
Athanasiou KA, 725
Athanasou NA, 686
Atkinson PJ, 28
Attia ET, 398, 748
Aufdemorte TB, 607
Aydelotte MB, 110

Bacci G, 629
Badger AM, 836
Bakker FC, 654
Baldini N, 629
Bank RA, 870
Banks MA, 51
Bauer TW, 695
Beaupré GS, 509, 646
Beavis AJ, 748
Behrens FF, 149
Bell RS, 633
Bennett AP, 67
Berger U, 261
Bertoni-Freddari C, 624
Bhargava MM, 398, 748
Bhashyam S, 321
Bi Y, 51
Biskobing DM, 639
Blanchard CR, 9, 446
Block JA, 935
Blunn G, 311
Bolander ME, 488, 920, 926
Boos N, 495
Boshuizen K, 654
Bouwmeester P, 843
Bouxsein ML, 661
Boyan BD, 9, 246, 446
Boyer MI, 777
Bragdon C, 525
Brand RA, 1, 309
Brånemark P-I, 891
Bray RC, 578
Brodt MD, 777
Bronk JT, 920
Brown M, 409
Buckwalter JA, 1, 155, 307, 459
Bulstra S, 843
Burchfield DM, 405
Burr DB, 59
Burstein D, 430
Burton-Wurster N, 870

Campanacci M, 629
Campbell P, 157, 329
Caplan AI, 205, 246, 900
Carlin CR, 803
Carlin G, 168
Carlin GJ, 763
Carlson CS, 437
Carroll NC, 279
Carter DR, 509, 646
Caterson B, 110
Chadha HS, 376
Chan ADM, 223
Chan RC, 578
Chang WCW, 582
Chao EYS, 540, 817
Chen C-T, 870
Chen L-E, 88, 293, 415, 714
Chien S, 121, 891
Chillemi C, 624
Chin VI, 836
Choi YW, 149
Christensen TM, 582
Clancy R, 598
Clark JM, 793
Clasper JC, 947
Clevenger C, 405
Cochran DL, 446
Cook M, 836
Couillaud S, 301
Crisco JJ, 96

Dahners LE, 793
Damron TA, 286
Damyanovich AZ, 223
Davies J, 261
De Deyne PG, 560
Dean DD, 9, 446
Debski RE, 769
DeCamp CE, 28
DeCoster TA, 238
DeFouw DO, 149
Deie M, 37
Delgado-Martínez AD, 793
Della Valle CJ, 437
Delp SL, 279
den Boer FC, 654
Dennerlein JT, 178
Dennis JE, 205
DesJardins JD, 540, 817
Di Cesare PE, 437, 598
Diao E, 178
Dinopoulos H, 777
Donahue HJ, 421
Ducheyne P, 340

Eckstein F, 532
Edberg JC, 748
Eger W, 858
Ehler W, 246
Eick JD, 214
Einhorn TA, 149
El-Ghannam A, 340
Elias JJ, 540
Elliott DM, 503
Ellis KD, 121
Engelberg R, 101
Erickson GR, 421
Evans CH, 37

Fan X, 639
Fang C, 437
Faust AF, 540
Fisher JS, 409
Fitzgerald RH Jr, 376, 382
Fitzsimmons JS, 668, 926
Forrester K, 578
Forsgren S, 554
Fortier LA, 467, 475
Forwood MR, 59
Foster RJ, 732
Fox WC, 607
Freed LE, 130
Freeman MAR, 3
Fridén J, 554
Fu FH, 769
Fujii H, 80, 368
Fukuda H, 392
Fukuda K, 593
Fukuoka S, 80, 368

Ganz R, 495
Gelberman RH, 777
Georgescu HI, 37
Gigante A, 624
Godard A, 301
Gokgoz N, 633
Gold JM, 437
Goldberg VM, 51, 205, 803
Goldner RV, 293
Goldstein SA, 900
Goodman SB, 797
Goodship AE, 725
Goomer RS, 745
Gotoh M, 392
Gouin F, 301
Goulet JA, 900
Gowen M, 836
Grande DA, 421
Gray ML, 430
Greco F, 624
Green C, 168
Greenfield EM, 51, 803
Greenleaf JF, 488
Grodzinsky AJ, 130, 836
Guicheux J, 301
Guilak F, 421, 503

Haarman HJThM, 654
Haas NP, 678
Hadjiargyrou M, 354
Hagino T, 232
Hamada K, 392
Hamada Y, 232
Hamanishi C, 593
Hanel D, 793
Hannafin JA, 398, 748
Hansson U, 311
Hara F, 593
Haraguchi K, 784
Harner CD, 763
Harris WH, 525
Hart DA, 738
Harwood F, 850
Hashimoto Y, 695
Haut RC, 28
Hayatsu K, 560
Hayes WC, 459
Healy KE, 615
Heckman JD, 246
Heegaard JH, 509
Hertz H, 261
Herzenberg JE, 560
Heymann D, 301
Hildebrand KA, 37
Höher J, 763
Hollinger JO, 269
Homandberg GA, 858
Hopyan S, 633
Hornstein AM, 935
Hotokebuchi T, 80, 368, 920
Howie DW, 686
Hsieh AH, 755
Hsu K-H, 709
Hsu T-C, 709
Hughes CE, 110
Huibregtse BA, 900
Hurtig M, 909
Hurwitz SR, 155
Hvaal K, 720
Hwang K, 269

Iatridis JC, 518, 732
Inoue A, 392
Ishihara H, 829
Iwamoto Y, 80, 368, 920

Jackson DW, 810
Jacobson S, 810
Jansen H, 256
Jingushi S, 80, 920
Jiranek WA, 823
Johnson GW, 88
Jonsson H, 185

Kale AA, 598
Kang Y, 858
Kärrholm J, 185
Kawakami M, 586, 941
Keaveny TM, 346, 582
Kenwright J, 238, 362
Kirkeby OJ, 720
Kobara N, 368
Koepp H, 858
Koguchi Y, 73
Kopperdahl DL, 346
Korkusuz F, 793
Korompilias AV, 714
Kröpfl A, 261
Kroppenstedt SN, 678
Kuettner KE, 110, 858
Kuijer R, 843
Kumar S, 732
Kuribayashi K, 586, 941
Kurtis MS, 121

Ladas A, 256
Lakhani KH, 725
Lane JM, 67
Langer R, 130
Lark MW, 836
Lau ST, 59
Lavish SA, 51, 803
Le Graverand M-PH, 738
Lee FY-I, 149
Lennon DP, 246
Leslie MP, 437, 598
Lewallen DG, 488
Li G, 238, 362
Li S, 891
Lietman SA, 540
Lin VS, 755
Lincks J, 446
Lind M, 797
Lindstrand A, 311
Liu K, 88, 293, 415
Liu Y, 9
Ljung B-O, 554
Lohmann CH, 9, 446
Lottman LM, 850
Lou J, 43
Lu B, 157
Lübbe AS, 678
Lundberg W, 405
Lust G, 467, 870

Mackenzie CD, 28
MacWilliams BA, 817
Mak S, 935
Maloney WJ, 525, 797
Mann KA, 321
Manske P, 43
Maris T, 745
Marshall KW, 223
Martin DP, 101
Martin I, 130
Martin RB, 59
Mathisen SR, 720
Matsumoto T, 586, 941
McClung CD, 703
McDougall JJ, 578
McGann LE, 909
McGovern RD, 96
McKellop H, 157
McKellop HA, 329
McLeod K, 354
McLeod KJ, 421
McPherson R, 909
Meitner PA, 935
Menger MD, 678
Mente PL, 518
Merkel K, 43
Meyer R, 560
Minamide A, 586
Mittlmeier T, 678
Miyazawa T, 784
Mohammed H, 475
Mohammed HO, 467
Moreau A, 301
Morris TS, 777
Mote CD Jr, 178
Mow VC, 732
Mueller SM, 192
Muldrew K, 909
Müller-Gerbl M, 532
Munuera L, 793
Murray DW, 686
Murray MM, 18
Murray RC, 725

Nakamura M, 392
Nakamura N, 784
Nakashima Y, 797
Nasser S, 376
Neale SD, 686
Nerlich AG, 495
Ninomiya JT, 51, 803
Nixon AJ, 467, 475
Niyibizi C, 168
Novak K, 909

O'Driscoll SW, 668, 926
O'Leary PF, 67
Obradovic B, 130
Ochi T, 784
Oden ZM, 661
Ohzono K, 784
Oles KJ, 920
Ömeroglu H, 793
Ömeroglu S, 793
Oni OOA, 149
Ostrander R, 745
Ota T, 329
Owan I, 59
Oyen-Tiesma M, 28

Paley D, 560
Pan J, 935
Parker SJ, 947
Parvizi J, 488
Passuti N, 301
Patka P, 654
Perez-Castro AV, 139
Perris R, 437
Petersen EC, 214
Picci P, 629
Pinilla TP, 582
Poser JW, 607
Potter KA, 624
Probst A, 256

Radomsky ML, 607
Ragab AA, 803
Ragan PM, 836
Rao U, 168
Raschke M, 678
Reed KL, 525
Rempel DM, 178
Reno C, 738
Rezania A, 615
Richards M, 900
Robbins PD, 37
Robertson DD, 525
Romero J, 817
Rubin C, 354
Rubin CT, 421, 639
Rubin J, 639
Ryd L, 311

Sabokbar A, 686
Sah RL, 121, 850
Sakai H, 73
Sakai T, 784
Sakane M, 769
Salovey R, 157
Salsich G, 409
Sanyal A, 668, 926
Saotome K, 73
Saris DBF, 668, 926
Sarkar G, 926
Schachar NS, 909
Schaser K-D, 678
Schewior L, 678
Schildhauer TA, 67
Schinagl RM, 121
Schlag G, 261
Schmalzried TP, 703
Schmidt DJ, 279
Schmidt TL, 214
Schmitt JM, 269
Schneider TO, 192
Schreck P, 810
Schumacher BL, 110
Schurman DJ, 797
Schwartz Z, 9, 246, 446
Scotlandi K, 629
Seaber AV, 88, 293, 415, 714
Selvitelli DM, 661
Serra M, 629
Setton LA, 503
Shapiro IM, 340
Shau Y-W, 709
Shen F-W, 157, 329
Shepherd EF, 703
Shieh J-Y, 709
Shin D, 880
Shortkroff S, 192
Silva MJ, 525, 777
Simon TM, 810
Simpson AHRW, 238, 362, 947
Skjeldal S, 720
Slauterbeck J, 405
Smith DW, 37
Smith RL, 797
Solchaga LA, 205
Song Z, 382
Sottili S, 629
Spadaro JA, 286
Spector M, 18, 192
Spiegel HU, 256
Spiro RC, 607
Sporrong H, 546
Staples JR, 223
Steinlechner M, 532
Stevens SS, 646
Stokes IAF, 518
Stone D, 168
Styf J, 546
Sud S, 376, 382
Sugano N, 784
Sugioka Y, 80, 368
Sun D-H, 797
Sun Y-Q, 354
Sung K-LP, 755
Svindland A, 720
Swain LD, 607
Swiontkowski MF, 101
Sylvia VL, 9, 446

Tägil M, 200
Takano Y, 59
Takenaka T, 586
Tamai K, 73
Tamaki T, 586, 941
Tamurian RM, 286
Tanaka S, 593
Taylor WR, 639
Tekoppele JM, 870
Terada K, 368
Terek RM, 935
Terwindt-Rouwenhorst E, 843
Toksvig-Larsen S, 311
Toloza E, 703
Treppo S, 130
Triffitt JT, 362
Trindade MCD, 797
Tsai CM-H, 755
Tsai T-M, 571
Tsuji T, 784
Tulli H, 437
Turner CH, 59

Ueno M, 593
Urabe K, 920
Urban JPG, 829
Urbaniak JR, 88, 293, 415, 714

Vail TP, 503
Van De Motter R, 803
van der Linden T, 843
van Lingen A, 654
Vani JN, 214
Verdier P, 935
Vink GQM, 654
Vogel KG, 139
Vogrin TM, 763

Vollmar B, 678
von der Mark K, 495
von Eisenhart R, 532
Vunjak-Novakovic G, 130

Wachtel EF, 346
Wang C-L, 709
Wang JY, 503
Wang WZ, 571
Warner JJP, 769
Warren RF, 398, 748
Waters RL, 309
Watkins PE, 947
Wayne JS, 823
Weidenbaum M, 732
Wiater P, 376
Wiest I, 495
Williams J, 475
Williams JL, 214
Williams JM, 858
Wilson DR, 817
Winn SR, 269
Wippermann BW, 654
Wohl G, 909
Wolfe SW, 96
Wong EK, 769
Woo SL-Y, 37, 168, 763, 769
Wood M, 238
Wooley PH, 376, 382
Wright J, 108
Wright TM, 67, 459
Wu C-C, 488
Wunder JS, 633
Wyman JJ, 935

Xu F, 43

Yamaguchi M, 695
Yamaguchi T, 73
Yamaji T, 168
Yamakawa H, 392
Yamazaki H, 392
Yang L, 755
Yin C, 823
Yoon KS, 382

Zell RA, 421
Zernicke RF, 578, 909
Zhu CF, 725
Zuelzer WA, 823
Zukosky DK, 28

Journal of Orthopaedic Research
17:957-964 The Journal of Bone and Joint Surgery, Inc.
© 1999 Orthopaedic Research Society

Journal of Orthopaedic Research

Volume 17, 1999

SUBJECT INDEX

Actin

Expression of α-smooth muscle actin in canine intervertebral disc cells *in situ* and in collagen-glycosaminoglycan matrices *in vitro*, 192

Fibroblast distribution in the anteromedial bundle of the human anterior cruciate ligament: the presence of α-smooth muscle actin-positive cells, 18

Adenovirus

Early expression of marker genes in the rabbit medial collateral and anterior cruciate ligaments: the use of different viral vectors and the effects of injury, 37

Gene therapy: adenovirus-mediated human bone morphogenetic protein-2 gene transfer induces mesenchymal progenitor cell proliferation and differentiation *in vitro* and bone formation *in vivo*, 43

Aging

Effect of local density changes on the failure load of the proximal femur, 661

Mechanical behavior of human trabecular bone after overloading, 346

Stiffness and muscle function with age and reduced muscle use, 409

Allograft

Size and position of a single condyle allograft influence knee kinematics, 540

Transplantation of cryopreserved osteochondral dowel allografts for repair of focal articular defects in an ovine model, 909

Amifostine

Sparing radiation-induced damage to the physis by radioprotectant drugs: laboratory analysis in a rat model, 286

Angiogenesis

Effect of lengthening rate on angiogenesis during distraction osteogenesis, 362

Annulus fibrosus

Expression of α-smooth muscle actin in canine intervertebral disc cells *in situ* and in collagen-glycosaminoglycan matrices *in vitro*, 192

Shear mechanical properties of human lumbar annulus fibrosus, 732

Apatite cement

Intravertebral body reconstruction with an injectable *in situ*-setting carbonated apatite: biomechanical evaluation of a minimally invasive technique, 67

Apoptosis

Experimental acute hematogenous osteomyelitis in mice. II. Influence of *Staphylococcus aureus* infection on T-cell immunity, 382

Heat shock-induced necrosis and apoptosis in osteoblasts, 891

Letters to the editors, 149

Arthroplasty

Histological and biochemical evaluation of perichondrial transplants in human articular cartilage defects, 843

Interleukin-4 inhibits granulocyte-macrophage colony-stimulating factor, interleukin-6, and tumor necrosis factor-alpha expression by human monocytes in response to polymethylmethacrylate particle challenge *in vitro*, 797

Macrophage colony-stimulating factor and interleukin-6 release by periprosthetic cells stimulates osteoclast formation and bone resorption, 686

Reduced bone stress as predicted by composite beam theory correlates with cortical bone loss following cemented total hip arthroplasty, 525

β-aminopropionitrile

Integrative cartilage repair: inhibition by β-aminopropionitrile, 850

Beam theory

Reduced bone stress as predicted by composite beam theory correlates with cortical bone loss following cemented total hip arthroplasty, 525

Biomaterials

Effect of serum proteins on osteoblast adhesion to surface-modified bioactive glass and hydroxyapatite, 340

Effects of sintered bovine bone on cell proliferation, collagen synthesis, and osteoblastic expression in MC3T3-E1 osteoblast-like cells, 586

Hyaluronic acid-based polymers as cell carriers for tissue-engineered repair of bone and cartilage, 205

Biomechanics

Cytoindentation for obtaining cell biomechanical properties, 880

Exercise affects the mechanical properties and histological appearance of equine articular cartilage, 725

Intravertebral body reconstruction with an injectable *in situ*-setting carbonated apatite: biomechanical evaluation of a minimally invasive technique, 67

Mechanical behavior of human trabecular bone after overloading, 346

Biomimetic surface

Integrin subunits responsible for adhesion of human osteoblast-like cells to biomimetic peptide surfaces, 615

Bioreactor

Bioreactor cultivation conditions modulate the composition and mechanical properties of tissue-engineered cartilage, 130

Blood flow

Assessment of subchondral bone blood flow in the rabbit femoral condyle using the laser speckle method, 368

Dynamic measurement of bone blood perfusion with modified laser Doppler imaging, 578

Bone

Assessment of subchondral bone blood flow in the rabbit femoral condyle using the laser speckle method, 368

Bone morphogenetic proteins: an update on basic biology and clinical relevance, 269

Computer model of endochondral growth and ossification in long bones: biological and mechano-biological influences, 646

Dynamic measurement of bone blood perfusion with modified laser Doppler imaging, 578

Elastic anisotropy and collagen orientation of osteonal bone are dependent on the mechanical strain distribution, 59

Gene therapy: adenovirus-mediated human bone morphogenetic protein-2 gene transfer induces mesenchymal progenitor cell proliferation and differentiation *in vitro* and bone formation *in vivo*, 43

Hyaluronic acid-based polymers as cell carriers for tissue-engineered repair of bone and cartilage, 205

Increased expression of matrix metalloproteinase-1 in osteocytes precedes bone resorption as stimulated by disuse: evidence for autoregulation of the cell's mechanical environment? 354

Marrow-derived progenitor cell injections enhance new bone formation during distraction, 900

Mechanical behavior of human trabecular bone after overloading, 346

Multidrug resistance-1 and P-glycoprotein in human chondrosarcoma cell lines: expression correlates with decreased intracellular doxorubicin and *in vitro* chemoresistance, 935

New segmental long bone defect model in sheep: quantitative analysis of healing with dual energy x-ray absorptiometry, 654

Osteoclastogenesis is repressed by mechanical strain in an *in vitro* model, 639

Reduced bone stress as predicted by composite beam theory correlates with cortical bone loss following cemented total hip arthroplasty, 525

Uniaxial yield strains for bovine trabecular bone are isotropic and asymmetric, 582

Bone conduction chamber

Cartilage induction by controlled mechanical stimulation *in vivo*, 200

Bone marrow fat

Intramedullary pressure and bone marrow fat extravasation in reamed and unreamed femoral nailing, 261

Bone morphogenetic protein

Bone morphogenetic proteins: an update on basic biology and clinical relevance, 269

Gene therapy: adenovirus-mediated human bone morphogenetic protein-2 gene transfer induces mesenchymal progenitor cell proliferation and differentiation *in vitro* and bone formation *in vivo*, 43

Initial evidence for the involvement of bone morphogenetic protein-2 early during periosteal chondrogenesis, 926

Bone transport

Biologic model of bone transport distraction osteogenesis and vascular response, 238

Calcitonin gene-related peptide

Substance P and calcitonin gene-related peptide expression at the extensor carpi radialis brevis mus-

cle origin: implications for the etiology of tennis elbow, 554

Calcium

Mechanically induced calcium waves in articular chondrocytes are inhibited by gadolinium and amiloride, 421

Callus

Callus formation and fixation rigidity: a fracture model in rats, 256

Carpal bone

Exercise affects the mechanical properties and histological appearance of equine articular cartilage, 725

Noninvasive technique for measuring *in vivo* three-dimensional carpal bone kinematics, 96

Cartilage

Bioreactor cultivation conditions modulate the composition and mechanical properties of tissue-engineered cartilage, 130

Cartilage induction by controlled mechanical stimulation *in vivo*, 200

Compositional and metabolic changes in damaged cartilage are peak-stress, stress-rate, and loading-duration dependent, 870

Computer model of endochondral growth and ossification in long bones: biological and mechanobiological influences, 646

Coordinate upregulation of cartilage matrix synthesis in fibrin cultures supplemented with exogenous insulin-like growth factor-I, 467

Effect of seeding duration on the strength of chondrocyte adhesion to articular cartilage, 121

Enhanced repair of extensive articular defects by insulin-like growth factor-I-laden fibrin composites, 475

Exercise affects the mechanical properties and histological appearance of equine articular cartilage, 725

Histological and biochemical evaluation of perichondrial transplants in human articular cartilage defects, 843

Hyaluronan suppresses fibronectin fragment-mediated damage to human cartilage explant cultures by enhancing proteoglycan synthesis, 858

Hyaluronic acid-based polymers as cell carriers for tissue-engineered repair of bone and cartilage, 205

Immunodetection and partial cDNA sequence of the proteoglycan, superficial zone protein, synthesized by cells lining synovial joints, 110

Immunohistochemical analysis of type X-collagen expression in osteoarthritis of the hip joint, 495

Initial evidence for the involvement of bone morphogenetic protein-2 early during periosteal chondrogenesis, 926

Integrative cartilage repair: inhibition by β-aminopropionitrile, 850

Mechanically induced calcium waves in articular chondrocytes are inhibited by gadolinium and amiloride, 421

Mechanically modulated cartilage growth may regulate joint surface morphogenesis, 509

Monitoring glycosaminoglycan replenishment in cartilage explants with gadolinium-enhanced magnetic resonance imaging, 430

Periosteum responds to dynamic fluid pressure by proliferating *in vitro*, 668

Quantitative determination of joint incongruity and pressure distribution during simulated gait and cartilage thickness in the human hip joint, 532

Tensile properties of articular cartilage are altered by meniscectomy in a canine model of osteoarthritis, 503

Cartilage oligomeric matrix protein

Localization and expression of cartilage oligomeric matrix protein by human rheumatoid and osteoarthritic synovium and cartilage, 437

Carvedilol

Carvedilol reduces ischaemic skeletal muscle necrosis, 720

Cement

Failure of partial cementation to achieve implant stability and bone ingrowth: a long-term roentgen stereophotogrammetric study of tibial components, 311

Intravertebral body reconstruction with an injectable *in situ*-setting carbonated apatite: biomechanical evaluation of a minimally invasive technique, 67

Mixed-mode fracture toughness of the cobalt-chromium alloy/polymethylmethacrylate cement interface, 321

Cerebral palsy

Length changes of the hamstrings and adductors resulting from derotational osteotomies of the femur, 279

Chalkley counting

Effect of lengthening rate on angiogenesis during distraction osteogenesis, 362

Chemotherapy

Multidrug resistance-1 and P-glycoprotein in human chondrosarcoma cell lines: expression correlates with decreased intracellular doxorubicin and *in vitro* chemoresistance, 935

P-glycoprotein expression in osteosarcoma: a basis for risk-adapted adjuvant chemotherapy, 629

Chondrocyte

Coordinate upregulation of cartilage matrix synthesis in fibrin cultures supplemented with exogenous insulin-like growth factor-I, 467

Down-regulation of chondrocyte aggrecan and type-II collagen gene expression correlates with increases in static compression magnitude and duration, 836

Effect of seeding duration on the strength of chondrocyte adhesion to articular cartilage, 121

Effect of surface roughness and composition on costochondral chondrocytes is dependent on cell maturation state, 446

Low-intensity ultrasound stimulates proteoglycan synthesis in rat chondrocytes by increasing aggrecan gene expression, 488

Mechanically induced calcium waves in articular chondrocytes are inhibited by gadolinium and amiloride, 421

Chondrogenesis

Initial evidence for the involvement of bone morphogenetic protein-2 early during periosteal chondrogenesis, 926

Periosteum responds to dynamic fluid pressure by proliferating *in vitro*, 668

Chondrosarcoma

Expression of leukemia inhibitory factor by cartilage-forming tumors of bone: an immunohistochemical study, 301

Multidrug resistance-1 and P-glycoprotein in human chondrosarcoma cell lines: expression correlates with decreased intracellular doxorubicin and *in vitro* chemoresistance, 935

Circulation

Intermittent pneumatic compression of legs increases microcirculation in distant skeletal muscle, 88

Collagen

1998 Steindler Award Lecture. Is collagen fatigue failure a cause of osteoarthrosis and prosthetic component migration? A hypothesis, 3

Adhesion strength differential of human ligament fibroblasts to collagen types I and III, 755

Down-regulation of chondrocyte aggrecan and type-II collagen gene expression correlates with increases in static compression magnitude and duration, 836

Effect of lengthening rate on angiogenesis during distraction osteogenesis, 362

Elastic anisotropy and collagen orientation of osteonal bone are dependent on the mechanical strain distribution, 59

Histological and biochemical evaluation of perichondrial transplants in human articular cartilage defects, 843

Immunohistochemical analysis of type X-collagen expression in osteoarthritis of the hip joint, 495

In situ expression of collagen and proteoglycan genes during development of fibrocartilage in bovine deep flexor tendon, 139

Integrative cartilage repair: inhibition by β-aminopropionitrile, 850

Collagenase

Increased expression of matrix metalloproteinase-1 in osteocytes precedes bone resorption as stimulated by disuse: evidence for autoregulation of the cell's mechanical environment? 354

Compression

Compositional and metabolic changes in damaged cartilage are peak-stress, stress-rate, and loading-duration dependent, 870

Down-regulation of chondrocyte aggrecan and type-II collagen gene expression correlates with increases in static compression magnitude and duration, 836

Influences of inflation rate and duration on vasodilatory effect by intermittent pneumatic compression in distant skeletal muscle, 415

Interleukin-1 beta promotes functional recovery of crushed peripheral nerve, 714

Intermittent pneumatic compression of legs increases microcirculation in distant skeletal muscle, 88

Computational modeling

Effect of local density changes on the failure load of the proximal femur, 661

Computed tomographic imaging

Letters to the editors, 793

Noninvasive technique for measuring *in vivo* three-dimensional carpal bone kinematics, 96

Computer simulation

Length changes of the hamstrings and adductors resulting from derotational osteotomies of the femur, 279

Mechanically modulated cartilage growth may regulate joint surface morphogenesis, 509

Cryopreservation

Transplantation of cryopreserved osteochondral dowel allografts for repair of focal articular defects in an ovine model, 909

Cytoindentation

Cytoindentation for obtaining cell biomechanical properties, 880

Cytokine

Bone marrow cells produce soluble factors that inhibit osteoclast activity, 51

Characterization of chemotactic migration and growth kinetics of canine knee ligament fibroblasts, 398

Cytokine-induced tendinitis: a preliminary study in rabbits, 168
Experimental acute hematogenous osteomyelitis in mice. II. Influence of *Staphylococcus aureus* infection on T-cell immunity, 382
Expression of leukemia inhibitory factor by cartilage-forming tumors of bone: an immunohistochemical study, 301
Interleukin-1 beta promotes functional recovery of crushed peripheral nerve, 714
Macrophage colony-stimulating factor and interleukin-6 release by periprosthetic cells stimulates osteoclast formation and bone resorption, 686

Demineralized bone matrix

Accelerating bone formation and earlier healing after using demineralized bone matrix for limb lengthening in rabbits, 232
Effect of demineralized bone matrix on polymorphonuclear leukocyte degranulation, 598

Dislocation arthropathy

Increased interleukin-1β production in the synovium of glenohumeral joints with anterior instability, 392

Distraction osteogenesis

Biologic model of bone transport distraction osteogenesis and vascular response, 238
Effect of lengthening rate on angiogenesis during distraction osteogenesis, 362
Marrow-derived progenitor cell injections enhance new bone formation during distraction, 900
Muscle regeneration and fiber-type transformation during distraction osteogenesis, 560

Dual-energy x-ray absorptiometry

New segmental long bone defect model in sheep: quantitative analysis of healing with dual energy x-ray absorptiometry, 654

Editorial

Alfred R. Shands, Jr. (1899-1981): responsibility and research in orthopaedic surgery, 307
Arthur Steindler and orthopaedic research, 1
The orthopaedic surgeon scientist: an endangered species? 155

Elastic fiber

Elastic fibers of musculoskeletal tissues in bovine Marfan syndrome: a morphometric study, 624

Endothelial cell antigen

Effect of lengthening rate on angiogenesis during distraction osteogenesis, 362

Erratum

Systematic and random errors in compression testing of trabecular bone, 151

Estrogen

Estrogen level alters the failure load of the rabbit anterior cruciate ligament, 405

Fatigue failure

1998 Steindler Award Lecture. Is collagen fatigue failure a cause of osteoarthrosis and prosthetic component migration? A hypothesis, 3

Femur

Effect of local density changes on the failure load of the proximal femur, 661
Evaluation of blood flow within the subchondral bone of the femoral head: use of the laser speckle method at surgery for osteonecrosis, 80
Intramedullary pressure and bone marrow fat extravasation in reamed and unreamed femoral nailing, 261
Length changes of the hamstrings and adductors resulting from derotational osteotomies of the femur, 279
Mixed-mode fracture toughness of the cobalt-chromium alloy/polymethylmethacrylate cement interface, 321
Reduced bone stress as predicted by composite beam theory correlates with cortical bone loss following cemented total hip arthroplasty, 525
Shear strength of the physis varies with anatomic location and is a function of modulus, inclination, and thickness, 214
Size and position of a single condyle allograft influence knee kinematics, 540

Fibroblast

Adhesion strength differential of human ligament fibroblasts to collagen types I and III, 755
Characterization of chemotactic migration and growth kinetics of canine knee ligament fibroblasts, 398
Differential expression of integrin subunits in canine knee ligament fibroblasts, 748
Fibroblast distribution in the anteromedial bundle of the human anterior cruciate ligament: the presence of α-smooth muscle actin-positive cells, 18

Fibroblast growth factor

Novel formulation of fibroblast growth factor-2 in a hyaluronan gel accelerates fracture healing in nonhuman primates, 607

Fibrocartilage

In situ expression of collagen and proteoglycan genes during development of fibrocartilage in bovine deep flexor tendon, 139

Fibronectin

Effect of serum proteins on osteoblast adhesion to surface-modified bioactive glass and hydroxyapatite, 340
Hyaluronan suppresses fibronectin fragment-mediated damage to human cartilage explant cultures by enhancing proteoglycan synthesis, 858

Finger

In vivo finger flexor tendon force while tapping on a keyswitch, 178

Finite element model

Computer model of endochondral growth and ossification in long bones: biological and mechanobiological influences, 646
Effect of local density changes on the failure load of the proximal femur, 661
Mechanically modulated cartilage growth may regulate joint surface morphogenesis, 509
Mixed-mode fracture toughness of the cobalt-chromium alloy/polymethylmethacrylate cement interface, 321
Shear mechanical properties of human lumbar annulus fibrosus, 732

Flexor tendon

Effects of increased *in vivo* excursion on digital range of motion and tendon strength following flexor tendon repair, 777
In situ expression of collagen and proteoglycan genes during development of fibrocartilage in bovine deep flexor tendon, 139
In vivo finger flexor tendon force while tapping on a keyswitch, 178

Foot

Ultrasonographic measurement of the mechanical properties of the sole under the metatarsal heads, 709

Force

In situ force distribution in the glenohumeral joint capsule during anterior-posterior loading, 769
In vivo finger flexor tendon force while tapping on a keyswitch, 178

Fracture

1998 Steindler Award Lecture. Is collagen fatigue failure a cause of osteoarthrosis and prosthetic component migration? A hypothesis, 3
Callus formation and fixation rigidity: a fracture model in rats, 256
Effect of local density changes on the failure load of the proximal femur, 661
Inhibition of endochondral ossification during fracture repair in experimental hypothyroid rats, 920
Initial evidence for the involvement of bone morphogenetic protein-2 early during periosteal chondrogenesis, 926
Intramedullary pressure and bone marrow fat extravasation in reamed and unreamed femoral nailing, 261
Intravertebral body reconstruction with an injectable *in situ*-setting carbonated apatite: biomechanical evaluation of a minimally invasive technique, 67
Letters to the editors, 149, 793
Low-intensity ultrasound stimulates proteoglycan synthesis in rat chondrocytes by increasing aggrecan gene expression, 488
Mechanical behavior of human trabecular bone after overloading, 346
Mixed-mode fracture toughness of the cobalt-chromium alloy/polymethylmethacrylate cement interface, 321
Novel formulation of fibroblast growth factor-2 in a hyaluronan gel accelerates fracture healing in nonhuman primates, 607
Osteochondral progenitor cells in acute and chronic canine nonunions, 246
Periosteum responds to dynamic fluid pressure by proliferating *in vitro*, 668

G protein

Pertussis toxin-sensitive G proteins as mediators of stretch-induced decrease in nitric-oxide release of osteoblast-like cells, 593

Gait

Quantitative determination of joint incongruity and pressure distribution during simulated gait and cartilage thickness in the human hip joint, 532
Step activity monitor: increased accuracy in quantifying ambulatory activity, 703

Gene therapy

Early expression of marker genes in the rabbit medial collateral and anterior cruciate ligaments: the use of different viral vectors and the effects of injury, 37
Gene therapy: adenovirus-mediated human bone morphogenetic protein-2 gene transfer induces mesenchymal progenitor cell proliferation and differentiation *in vitro* and bone formation *in vivo*, 43

Glenohumeral joint capsule

In situ force distribution in the glenohumeral joint capsule during anterior-posterior loading, 769

Glycosaminoglycan

Monitoring glycosaminoglycan replenishment in cartilage explants with gadolinium-enhanced magnetic resonance imaging, 430

Granulocyte-macrophage colony-stimulating factor

Interleukin-4 inhibits granulocyte-macrophage colony-stimulating factor, interleukin-6, and tumor necrosis factor-alpha expression by human monocytes in response to polymethylmethacry-

late particle challenge *in vitro*, 797

Hamstrings

Hamstrings cocontraction reduces internal rotation, anterior translation, and anterior cruciate ligament load in weight-bearing flexion, 817
In situ forces in the human posterior cruciate ligament in response to muscle loads: a cadaveric study, 763

Healing

Accelerating bone formation and earlier healing after using demineralized bone matrix for limb lengthening in rabbits, 232
Adhesion strength differential of human ligament fibroblasts to collagen types I and III, 755
Effects of increased *in vivo* excursion on digital range of motion and tendon strength following flexor tendon repair, 777
New segmental long bone defect model in sheep: quantitative analysis of healing with dual energy x-ray absorptiometry, 654
Osteochondral progenitor cells in acute and chronic canine nonunions, 246

Heat shock

Heat shock-induced necrosis and apoptosis in osteoblasts, 891

Hip

Development of an extremely wear-resistant ultra high molecular weight polyethylene for total hip replacements, 157
Effect of local density changes on the failure load of the proximal femur, 661
Immunohistochemical analysis of type X-collagen expression in osteoarthritis of the hip joint, 495
Mixed-mode fracture toughness of the cobalt-chromium alloy/polymethylmethacrylate cement interface, 321
Quantitative determination of joint incongruity and pressure distribution during simulated gait and cartilage thickness in the human hip joint, 532
Reduced bone stress as predicted by composite beam theory correlates with cortical bone loss following cemented total hip arthroplasty, 525

Histomorphometry

Elastic fibers of musculoskeletal tissues in bovine Marfan syndrome: a morphometric study, 624

Hormone

Bone marrow cells produce soluble factors that inhibit osteoclast activity, 51
Estrogen level alters the failure load of the rabbit anterior cruciate ligament, 405
Inhibition of endochondral ossification during fracture repair in experimental hypothyroid rats, 920

Hyaluronic acid

Hyaluronan suppresses fibronectin fragment-mediated damage to human cartilage explant cultures by enhancing proteoglycan synthesis, 858
Hyaluronic acid-based polymers as cell carriers for tissue-engineered repair of bone and cartilage, 205
Novel formulation of fibroblast growth factor-2 in a hyaluronan gel accelerates fracture healing in nonhuman primates, 607

Hydroxyapatite

Effects of sintered bovine bone on cell proliferation, collagen synthesis, and osteoblastic expression in MC3T3-E1 osteoblast-like cells, 586

Immunohistochemistry

Effect of lengthening rate on angiogenesis during distraction osteogenesis, 362
Expression of leukemia inhibitory factor by cartilage-forming tumors of bone: an immunohistochemical study, 301
Growth potential of loose bodies: an immunohistochemical examination of primary and secondary synovial osteochondromatosis, 73
Immunohistochemical analysis of type X-collagen expression in osteoarthritis of the hip joint, 495

Implant

Effect of surface roughness and composition on costochondral chondrocytes is dependent on cell maturation state, 446
Failure of partial cementation to achieve implant stability and bone ingrowth: a long-term roentgen stereophotogrammetric study of tibial components, 311
Hyaluronic acid-based polymers as cell carriers for tissue-engineered repair of bone and cartilage, 205
Integrin subunits responsible for adhesion of human osteoblast-like cells to biomimetic peptide surfaces, 615
Measurement and removal of adherent endotoxin from titanium particles and implant surfaces, 803
Polyethylene wear vector *in vivo:* a three-dimensional analysis using retrieved acetabular components and radiographs, 695
Reduced bone stress as predicted by composite beam theory correlates with cortical bone loss following cemented total hip arthroplasty, 525
Ultrahigh molecular weight polyethylene particles have direct effects on proliferation, differentiation, and local factor production of MG63 osteoblast-like cells, 9

***In situ* hybridization**

In situ expression of collagen and proteoglycan genes during development of fibrocartilage in bovine deep flexor tendon, 139

Inflation rate

Influences of inflation rate and duration on vasodilatory effect by intermittent pneumatic compression in distant skeletal muscle, 415

Injury

Early expression of marker genes in the rabbit medial collateral and anterior cruciate ligaments: the use of different viral vectors and the effects of injury, 37
Late-preconditioning protection is evident in the microcirculation of denervated skeletal muscle, 571

Insulin-like growth factor

Coordinate upregulation of cartilage matrix synthesis in fibrin cultures supplemented with exogenous insulin-like growth factor-I, 467
Enhanced repair of extensive articular defects by insulin-like growth factor-I-laden fibrin composites, 475

Integrin

Differential expression of integrin subunits in canine knee ligament fibroblasts, 748
Integrin subunits responsible for adhesion of human osteoblast-like cells to biomimetic peptide surfaces, 615

Interleukin

Bone marrow cells produce soluble factors that inhibit osteoclast activity, 51
Increased interleukin-1β production in the synovium of glenohumeral joints with anterior instability, 392
Interleukin-1 beta promotes functional recovery of crushed peripheral nerve, 714
Interleukin-4 inhibits granulocyte-macrophage colony-stimulating factor, interleukin-6, and tumor necrosis factor-alpha expression by human monocytes in response to polymethylmethacrylate particle challenge *in vitro*, 797
mRNA expression of interleukins, phospholipase A_2, and nitric oxide synthase in the nerve root and dorsal root ganglion induced by autologous nucleus pulposus in the rat, 941

Intervertebral disc

Effects of low oxygen concentrations and metabolic inhibitors on proteoglycan and protein synthesis rates in the intervertebral disc, 829
Expression of α-smooth muscle actin in canine intervertebral disc cells *in situ* and in collagen-glycosaminoglycan matrices *in vitro*, 192
Shear mechanical properties of human lumbar annulus fibrosus, 732

Ion channel

Mechanically induced calcium waves in articular chondrocytes are inhibited by gadolinium and amiloride, 421

Ischemia

Carvedilol reduces ischaemic skeletal muscle necrosis, 720
Late-preconditioning protection is evident in the microcirculation of denervated skeletal muscle, 571

Isotropy

Uniaxial yield strains for bovine trabecular bone are isotropic and asymmetric, 582

Kinematics

Noninvasive technique for measuring *in vivo* three-dimensional carpal bone kinematics, 96
Size and position of a single condyle allograft influence knee kinematics, 540
Three-dimensional knee kinematics and stability in patients with a posterior cruciate ligament tear, 185

Knee

Characterization of chemotactic migration and growth kinetics of canine knee ligament fibroblasts, 398
Differential expression of integrin subunits in canine knee ligament fibroblasts, 748
Gene expression in menisci from the knees of skeletally immature and mature female rabbits, 738
Hamstrings cocontraction reduces internal rotation, anterior translation, and anterior cruciate ligament load in weight-bearing flexion, 817
Histological and biochemical evaluation of perichondrial transplants in human articular cartilage defects, 843
In situ forces in the human posterior cruciate ligament in response to muscle loads: a cadaveric study, 763
Patellar tendon augmentation after removal of its central third limits joint tissue changes, 28
Reduced anterior tibial translation associated with adaptive changes in the anterior cruciate ligament-deficient joint: goat model, 810
Size and position of a single condyle allograft influence knee kinematics, 540
Three-dimensional knee kinematics and stability in patients with a posterior cruciate ligament tear, 185

LacZ

Early expression of marker genes in the rabbit medial collateral and anterior cruciate ligaments: the use of different viral vectors and the effects of injury, 37

Laser Doppler

Dynamic measurement of bone blood perfusion with modified laser Doppler imaging, 578

Laser flowgraphy

Assessment of subchondral bone blood flow in the

rabbit femoral condyle using the laser speckle method, 368
Evaluation of blood flow within the subchondral bone of the femoral head: use of the laser speckle method at surgery for osteonecrosis, 80

Lengthening

Accelerating bone formation and earlier healing after using demineralized bone matrix for limb lengthening in rabbits, 232
Effect of lengthening rate on angiogenesis during distraction osteogenesis, 362
Marrow-derived progenitor cell injections enhance new bone formation during distraction, 900

Letters to the editors

149, 793

Leukemia inhibitory factor

Expression of leukemia inhibitory factor by cartilage-forming tumors of bone: an immunohistochemical study, 301

Leukocyte

Effect of demineralized bone matrix on polymorphonuclear leukocyte degranulation, 598

Ligament

Adhesion strength differential of human ligament fibroblasts to collagen types I and III, 755
Characterization of chemotactic migration and growth kinetics of canine knee ligament fibroblasts, 398
Differences in mRNA expression patterns between patellar tendons and anterior cruciate ligaments of immature pigs, 823
Early expression of marker genes in the rabbit medial collateral and anterior cruciate ligaments: the use of different viral vectors and the effects of injury, 37
Estrogen level alters the failure load of the rabbit anterior cruciate ligament, 405
Fibroblast distribution in the anteromedial bundle of the human anterior cruciate ligament: the presence of α-smooth muscle actin-positive cells, 18
Hamstrings cocontraction reduces internal rotation, anterior translation, and anterior cruciate ligament load in weight-bearing flexion, 817
In situ forces in the human posterior cruciate ligament in response to muscle loads: a cadaveric study, 763
Patellar tendon augmentation after removal of its central third limits joint tissue changes, 28
PT-12, a putative Ras-activated proliferation-dependent gene, is expressed in patellar tendon and not in anterior cruciate ligament, 745
Reduced anterior tibial translation associated with adaptive changes in the anterior cruciate ligament-deficient joint: goat model, 810
Three-dimensional knee kinematics and stability in patients with a posterior cruciate ligament tear, 185

Load

Cartilage induction by controlled mechanical stimulation *in vivo*, 200
Down-regulation of chondrocyte aggrecan and type-II collagen gene expression correlates with increases in static compression magnitude and duration, 836
Effect of local density changes on the failure load of the proximal femur, 661
Estrogen level alters the failure load of the rabbit anterior cruciate ligament, 405
Hamstrings cocontraction reduces internal rotation, anterior translation, and anterior cruciate ligament load in weight-bearing flexion, 817
In situ force distribution in the glenohumeral joint capsule during anterior-posterior loading, 769
In situ forces in the human posterior cruciate ligament in response to muscle loads: a cadaveric study, 763
Mechanical behavior of human trabecular bone after overloading, 346
Mechanical modulation of growth for the correction of vertebral wedge deformities, 518
Mechanically induced calcium waves in articular chondrocytes are inhibited by gadolinium and amiloride, 421
Pertussis toxin-sensitive G proteins as mediators of stretch-induced decrease in nitric-oxide release of osteoblast-like cells, 593
Quantitative determination of joint incongruity and pressure distribution during simulated gait and cartilage thickness in the human hip joint, 532

Loose bodies

Growth potential of loose bodies: an immunohistochemical examination of primary and secondary synovial osteochondromatosis, 73

Macrophage colony-stimulating factor

Macrophage colony-stimulating factor and interleukin-6 release by periprosthetic cells stimulates osteoclast formation and bone resorption, 686

Magnetic resonance imaging

Contrast-enhanced magnetic resonance imaging in a nontraumatic rabbit osteonecrosis model, 784
Monitoring glycosaminoglycan replenishment in cartilage explants with gadolinium-enhanced magnetic resonance imaging, 430

Magnetic resonance spectroscopy

Comparative study of normal and osteoarthritic canine synovial fluid using 500 MHz ^{1}H magnetic resonance spectroscopy, 223

Marfan syndrome

Elastic fibers of musculoskeletal tissues in bovine Marfan syndrome: a morphometric study, 624

Marker gene

Early expression of marker genes in the rabbit medial collateral and anterior cruciate ligaments: the use of different viral vectors and the effects of injury, 37

Marrow cell

Bone marrow cells produce soluble factors that inhibit osteoclast activity, 51
Marrow-derived progenitor cell injections enhance new bone formation during distraction, 900

Mechanical loading

Pertussis toxin-sensitive G proteins as mediators of stretch-induced decrease in nitric-oxide release of osteoblast-like cells, 593

Mechanical stimulation

Periosteum responds to dynamic fluid pressure by proliferating *in vitro*, 668

Meniscus

Gene expression in menisci from the knees of skeletally immature and mature female rabbits, 738
Tensile properties of articular cartilage are altered by meniscectomy in a canine model of osteoarthritis, 503

Mesenchymal cells

Gene therapy: adenovirus-mediated human bone morphogenetic protein-2 gene transfer induces mesenchymal progenitor cell proliferation and differentiation *in vitro* and bone formation *in vivo*, 43
Hyaluronic acid-based polymers as cell carriers for tissue-engineered repair of bone and cartilage, 205
Osteochondral progenitor cells in acute and chronic canine nonunions, 246

Metalloproteinase

Increased expression of matrix metalloproteinase-1 in osteocytes precedes bone resorption as stimulated by disuse: evidence for autoregulation of the cell's mechanical environment? 354

Metatarsal head

Ultrasonographic measurement of the mechanical properties of the sole under the metatarsal heads, 709

MG63 osteoblast-like cells

Cytoindentation for obtaining cell biomechanical properties, 880
Ultrahigh molecular weight polyethylene particles have direct effects on proliferation, differentiation, and local factor production of MG63 osteoblast-like cells, 9

Modulus

Mechanical behavior of human trabecular bone after overloading, 346

Molecular biology

Gene expression in menisci from the knees of skeletally immature and mature female rabbits, 738

Monoclonal antibodies

Immunodetection and partial cDNA sequence of the proteoglycan, superficial zone protein, synthesized by cells lining synovial joints, 110

Morphogenesis

Mechanically modulated cartilage growth may regulate joint surface morphogenesis, 509

mRNA

Differences in mRNA expression patterns between patellar tendons and anterior cruciate ligaments of immature pigs, 823
Down-regulation of chondrocyte aggrecan and type-II collagen gene expression correlates with increases in static compression magnitude and duration, 836
Gene expression in menisci from the knees of skeletally immature and mature female rabbits, 738
mRNA expression of interleukins, phospholipase A_2, and nitric oxide synthase in the nerve root and dorsal root ganglion induced by autologous nucleus pulposus in the rat, 941

Muscle

Effects of isokinetic muscle activity on pressure in the supraspinatus muscle and shoulder torque, 546
Late-preconditioning protection is evident in the microcirculation of denervated skeletal muscle, 571
Muscle regeneration and fiber-type transformation during distraction osteogenesis, 560
Stiffness and muscle function with age and reduced muscle use, 409

Musculoskeletal Function Assessment

Commentary. R-Musculoskeletal Function Assessment: values from patient and general samples, 108
Musculoskeletal Function Assessment: reference values for patient and non-patient samples, 101

Nailing

Callus formation and fixation rigidity: a fracture model in rats, 256
Intramedullary pressure and bone marrow fat extravasation in reamed and unreamed femoral nailing, 261
New segmental long bone defect model in sheep:

quantitative analysis of healing with dual energy x-ray absorptiometry, 654

Nerve

Interleukin-1 beta promotes functional recovery of crushed peripheral nerve, 714
Motor functional and morphological findings following end-to-side neurorrhaphy in the rat model, 293
mRNA expression of interleukins, phospholipase A_2, and nitric oxide synthase in the nerve root and dorsal root ganglion induced by autologous nucleus pulposus in the rat, 941

Neurorrhaphy

Motor functional and morphological findings following end-to-side neurorrhaphy in the rat model, 293

Nitric oxide

Influences of inflation rate and duration on vasodilatory effect by intermittent pneumatic compression in distant skeletal muscle, 415
Intermittent pneumatic compression of legs increases microcirculation in distant skeletal muscle, 88
mRNA expression of interleukins, phospholipase A_2, and nitric oxide synthase in the nerve root and dorsal root ganglion induced by autologous nucleus pulposus in the rat, 941
Pertussis toxin-sensitive G proteins as mediators of stretch-induced decrease in nitric-oxide release of osteoblast-like cells, 593

Nonunion

Osteochondral progenitor cells in acute and chronic canine nonunions, 246

Nuclear magnetic resonance imaging

Comparative study of normal and osteoarthritic canine synovial fluid using 500 MHz ^{1}H magnetic resonance spectroscopy, 223

Orthopaedic research

Editorial. Arthur Steindler and orthopaedic research, 1
Editorial. The orthopaedic surgeon scientist: an endangered species? 155
Letters to the editors, 793

Osteoarthritis

1998 Steindler Award Lecture. Is collagen fatigue failure a cause of osteoarthrosis and prosthetic component migration? A hypothesis, 3
Comparative study of normal and osteoarthritic canine synovial fluid using 500 MHz ^{1}H magnetic resonance spectroscopy, 223
Compositional and metabolic changes in damaged cartilage are peak-stress, stress-rate, and loading-duration dependent, 870
Hyaluronan suppresses fibronectin fragment-mediated damage to human cartilage explant cultures by enhancing proteoglycan synthesis, 858
Immunohistochemical analysis of type X-collagen expression in osteoarthritis of the hip joint, 495
Localization and expression of cartilage oligomeric matrix protein by human rheumatoid and osteoarthritic synovium and cartilage, 437
Mechanically induced calcium waves in articular chondrocytes are inhibited by gadolinium and amiloride, 421
Quantitative determination of joint incongruity and pressure distribution during simulated gait and cartilage thickness in the human hip joint, 532
Tensile properties of articular cartilage are altered by meniscectomy in a canine model of osteoarthritis, 503

Osteoblast

Bone morphogenetic proteins: an update on basic biology and clinical relevance, 269
Effect of serum proteins on osteoblast adhesion to surface-modified bioactive glass and hydroxyapatite, 340
Effects of sintered bovine bone on cell proliferation, collagen synthesis, and osteoblastic expression in MC3T3-E1 osteoblast-like cells, 586
Expression of osteocalcin and its transcriptional regulators *core-binding factor alpha 1* and *MSX2* in osteoid-forming tumours, 633
Heat shock-induced necrosis and apoptosis in osteoblasts, 891
Integrin subunits responsible for adhesion of human osteoblast-like cells to biomimetic peptide surfaces, 615
Osteoclastogenesis is repressed by mechanical strain in an *in vitro* model, 639
Pertussis toxin-sensitive G proteins as mediators of stretch-induced decrease in nitric-oxide release of osteoblast-like cells, 593
Ultrahigh molecular weight polyethylene particles have direct effects on proliferation, differentiation, and local factor production of MG63 osteoblast-like cells, 9

Osteocalcin

Expression of osteocalcin and its transcriptional regulators *core-binding factor alpha 1* and *MSX2* in osteoid-forming tumours, 633

Osteochondral progenitor cells

Osteochondral progenitor cells in acute and chronic canine nonunions, 246

Osteochondromatosis

Growth potential of loose bodies: an immunohistochemical examination of primary and secondary synovial osteochondromatosis, 73

Osteoclast

Bone marrow cells produce soluble factors that inhibit osteoclast activity, 51
Macrophage colony-stimulating factor and interleukin-6 release by periprosthetic cells stimulates osteoclast formation and bone resorption, 686
Osteoclastogenesis is repressed by mechanical strain in an *in vitro* model, 639

Osteoclastogenesis

Osteoclastogenesis is repressed by mechanical strain in an *in vitro* model, 639

Osteocyte

Increased expression of matrix metalloproteinase-1 in osteocytes precedes bone resorption as stimulated by disuse: evidence for autoregulation of the cell's mechanical environment? 354

Osteogenesis

Effect of demineralized bone matrix on polymorphonuclear leukocyte degranulation, 598
Increased expression of matrix metalloproteinase-1 in osteocytes precedes bone resorption as stimulated by disuse: evidence for autoregulation of the cell's mechanical environment? 354

Osteolysis

Development of an extremely wear-resistant ultra high molecular weight polyethylene for total hip replacements, 157
Measurement and removal of adherent endotoxin from titanium particles and implant surfaces, 803
Polyethylene wear vector *in vivo:* a three-dimensional analysis using retrieved acetabular components and radiographs, 695
Ultrahigh molecular weight polyethylene particles have direct effects on proliferation, differentiation, and local factor production of MG63 osteoblast-like cells, 9

Osteomyelitis

Experimental acute hematogenous osteomyelitis in mice. I. Histopathological and immunological findings, 376
Experimental acute hematogenous osteomyelitis in mice. II. Influence of *Staphylococcus aureus* infection on T-cell immunity, 382

Osteonecrosis

Assessment of subchondral bone blood flow in the rabbit femoral condyle using the laser speckle method, 368
Contrast-enhanced magnetic resonance imaging in a nontraumatic rabbit osteonecrosis model, 784
Evaluation of blood flow within the subchondral bone of the femoral head: use of the laser speckle method at surgery for osteonecrosis, 80

Osteoporosis

Effect of local density changes on the failure load of the proximal femur, 661
Increased expression of matrix metalloproteinase-1 in osteocytes precedes bone resorption as stimulated by disuse: evidence for autoregulation of the cell's mechanical environment? 354
Intravertebral body reconstruction with an injectable *in situ*-setting carbonated apatite: biomechanical evaluation of a minimally invasive technique, 67
Mechanical behavior of human trabecular bone after overloading, 346
Osteoclastogenesis is repressed by mechanical strain in an *in vitro* model, 639

Osteosarcoma

P-glycoprotein expression in osteosarcoma: a basis for risk-adapted adjuvant chemotherapy, 629

Osteotomy

Intramedullary pressure and bone marrow fat extravasation in reamed and unreamed femoral nailing, 261
Length changes of the hamstrings and adductors resulting from derotational osteotomies of the femur, 279

Parathyroid hormone

Bone marrow cells produce soluble factors that inhibit osteoclast activity, 51

Periosteum

Periosteum responds to dynamic fluid pressure by proliferating *in vitro,* 668

Perry, Jacquelin

Tribute to Jacquelin Perry: 15th Biannual Alfred R. Shands, Jr., Lecturer of the Orthopaedic Research Society, February 1999, 309

P-glycoprotein

Multidrug resistance-1 and P-glycoprotein in human chondrosarcoma cell lines: expression correlates with decreased intracellular doxorubicin and *in vitro* chemoresistance, 935
P-glycoprotein expression in osteosarcoma: a basis for risk-adapted adjuvant chemotherapy, 629

Physis

Shear strength of the physis varies with anatomic location and is a function of modulus, inclination, and thickness, 214

Sparing radiation-induced damage to the physis by radioprotectant drugs: laboratory analysis in a rat model, 286

Pin-tract infection

Contamination of the medullary canal following pin-tract infection, 947

Polyethylene

Development of an extremely wear-resistant ultra high molecular weight polyethylene for total hip replacements, 157
Effect of molecular weight, calcium stearate, and sterilization methods on the wear of ultra high molecular weight polyethylene acetabular cups in a hip joint simulator, 329
Polyethylene wear vector *in vivo:* a three-dimensional analysis using retrieved acetabular components and radiographs, 695
Ultrahigh molecular weight polyethylene particles have direct effects on proliferation, differentiation, and local factor production of MG63 osteoblast-like cells, 9

Polymethylmethacrylate

Interleukin-4 inhibits granulocyte-macrophage colony-stimulating factor, interleukin-6, and tumor necrosis factor-alpha expression by human monocytes in response to polymethylmethacrylate particle challenge *in vitro,* 797
Mixed-mode fracture toughness of the cobalt-chromium alloy/polymethylmethacrylate cement interface, 321

Prostaglandin E_2

Ultrahigh molecular weight polyethylene particles have direct effects on proliferation, differentiation, and local factor production of MG63 osteoblast-like cells, 9

Prosthesis

1998 Steindler Award Lecture. Is collagen fatigue failure a cause of osteoarthrosis and prosthetic component migration? A hypothesis, 3
Development of an extremely wear-resistant ultra high molecular weight polyethylene for total hip replacements, 157
Failure of partial cementation to achieve implant stability and bone ingrowth: a long-term roentgen stereophotogrammetric study of tibial components, 311

Proteoglycan

Effects of low oxygen concentrations and metabolic inhibitors on proteoglycan and protein synthesis rates in the intervertebral disc, 829
Hyaluronan suppresses fibronectin fragment-mediated damage to human cartilage explant cultures by enhancing proteoglycan synthesis, 858
In situ expression of collagen and proteoglycan genes during development of fibrocartilage in bovine deep flexor tendon, 139
Integrative cartilage repair: inhibition by β-aminopropionitrile, 850

PT-12

PT-12, a putative Ras-activated proliferation-dependent gene, is expressed in patellar tendon and not in anterior cruciate ligament, 745

Quadriceps

In situ forces in the human posterior cruciate ligament in response to muscle loads: a cadaveric study, 763

Radiation

Sparing radiation-induced damage to the physis by radioprotectant drugs: laboratory analysis in a rat model, 286

Radioprotectants

Sparing radiation-induced damage to the physis by radioprotectant drugs: laboratory analysis in a rat model, 286

Range of motion

Effects of increased *in vivo* excursion on digital range of motion and tendon strength following flexor tendon repair, 777
Stiffness and muscle function with age and reduced muscle use, 409

Reconstruction

Reduced anterior tibial translation associated with adaptive changes in the anterior cruciate ligament-deficient joint: goat model, 810

Remodeling

Increased expression of matrix metalloproteinase-1 in osteocytes precedes bone resorption as stimulated by disuse: evidence for autoregulation of the cell's mechanical environment? 354
Osteoclastogenesis is repressed by mechanical strain in an *in vitro* model, 639

Retrovirus

Early expression of marker genes in the rabbit medial collateral and anterior cruciate ligaments: the use of different viral vectors and the effects of injury, 37

Roentgen stereophotogrammetric analysis

Failure of partial cementation to achieve implant stability and bone ingrowth: a long-term roentgen stereophotogrammetric study of tibial components, 311

Roughness

Effect of surface roughness and composition on costochondral chondrocytes is dependent on cell maturation state, 446

Sarcoma

Sparing radiation-induced damage to the physis by radioprotectant drugs: laboratory analysis in a rat model, 286

Scoliosis

Mechanical modulation of growth for the correction of vertebral wedge deformities, 518

Seeding

Effect of seeding duration on the strength of chondrocyte adhesion to articular cartilage, 121

Semiquantitative reverse transcription-polymerase chain reaction

Gene expression in menisci from the knees of skeletally immature and mature female rabbits, 738

Shands, Alfred R. Jr

Editorial. Alfred R. Shands, Jr. (1899-1981): responsibility and research in orthopaedic surgery, 307
Tribute to Jacquelin Perry: 15th Biannual Alfred R. Shands, Jr., Lecturer of the Orthopaedic Research Society, February 1999, 309

Shoulder

Effects of isokinetic muscle activity on pressure in the supraspinatus muscle and shoulder torque, 546
In situ force distribution in the glenohumeral joint capsule during anterior-posterior loading, 769

Skeletal muscle

Carvedilol reduces ischaemic skeletal muscle necrosis, 720
Dynamic measurement of bone blood perfusion with modified laser Doppler imaging, 578
Elastic fibers of musculoskeletal tissues in bovine Marfan syndrome: a morphometric study, 624
Gene expression in menisci from the knees of skeletally immature and mature female rabbits, 738
Influences of inflation rate and duration on vasodilatory effect by intermittent pneumatic compression in distant skeletal muscle, 415
Intermittent pneumatic compression of legs increases microcirculation in distant skeletal muscle, 88

Staphylococcus

Contamination of the medullary canal following pin-tract infection, 947
Experimental acute hematogenous osteomyelitis in mice. I. Histopathological and immunological findings, 376
Experimental acute hematogenous osteomyelitis in mice. II. Influence of *Staphylococcus aureus* infection on T-cell immunity, 382

Steindler Award Lecture

1998 Steindler Award Lecture. Is collagen fatigue failure a cause of osteoarthrosis and prosthetic component migration? A hypothesis, 3
Editorial. Arthur Steindler and orthopaedic research, 1

Step activity monitor

Step activity monitor: increased accuracy in quantifying ambulatory activity, 703

Strain

Elastic anisotropy and collagen orientation of osteonal bone are dependent on the mechanical strain distribution, 59
Osteoclastogenesis is repressed by mechanical strain in an *in vitro* model, 639
Uniaxial yield strains for bovine trabecular bone are isotropic and asymmetric, 582

Stress

Compositional and metabolic changes in damaged cartilage are peak-stress, stress-rate, and loading-duration dependent, 870
Mechanically modulated cartilage growth may regulate joint surface morphogenesis, 509
Quantitative determination of joint incongruity and pressure distribution during simulated gait and cartilage thickness in the human hip joint, 532
Reduced bone stress as predicted by composite beam theory correlates with cortical bone loss following cemented total hip arthroplasty, 525

Substance P

Substance P and calcitonin gene-related peptide expression at the extensor carpi radialis brevis muscle origin: implications for the etiology of tennis elbow, 554

Superantigen

Experimental acute hematogenous osteomyelitis in mice. II. Influence of *Staphylococcus aureus* infection on T-cell immunity, 382

Superficial zone protein

Immunodetection and partial cDNA sequence of the proteoglycan, superficial zone protein, synthesized by cells lining synovial joints, 110

Supraspinatus

Effects of isokinetic muscle activity on pressure in the supraspinatus muscle and shoulder torque, 546

Synovium

1998 Steindler Award Lecture. Is collagen fatigue failure a cause of osteoarthrosis and prosthetic

component migration? A hypothesis, 3
Comparative study of normal and osteoarthritic canine synovial fluid using 500 MHz ^{1}H magnetic resonance spectroscopy, 223
Immunodetection and partial cDNA sequence of the proteoglycan, superficial zone protein, synthesized by cells lining synovial joints, 110
Increased interleukin-1β production in the synovium of glenohumeral joints with anterior instability, 392
Localization and expression of cartilage oligomeric matrix protein by human rheumatoid and osteoarthritic synovium and cartilage, 437

T cell

Experimental acute hematogenous osteomyelitis in mice. II. Influence of *Staphylococcus aureus* infection on T-cell immunity, 382

Tendon

Cytokine-induced tendinitis: a preliminary study in rabbits, 168
Differences in mRNA expression patterns between patellar tendons and anterior cruciate ligaments of immature pigs, 823
Effects of increased *in vivo* excursion on digital range of motion and tendon strength following flexor tendon repair, 777
In situ expression of collagen and proteoglycan genes during development of fibrocartilage in bovine deep flexor tendon, 139
In vivo finger flexor tendon force while tapping on a keyswitch, 178
Patellar tendon augmentation after removal of its central third limits joint tissue changes, 28
PT-12, a putative Ras-activated proliferation-dependent gene, is expressed in patellar tendon and not in anterior cruciate ligament, 745

Tennis elbow

Substance P and calcitonin gene-related peptide expression at the extensor carpi radialis brevis muscle origin: implications for the etiology of tennis elbow, 554

Tetanic tension

Stiffness and muscle function with age and reduced muscle use, 409

Thoracic spine

Intravertebral body reconstruction with an injectable *in situ*-setting carbonated apatite: biomechanical evaluation of a minimally invasive technique, 67

Tissue

Cartilage induction by controlled mechanical stimulation *in vivo*, 200
Effects of low oxygen concentrations and metabolic inhibitors on proteoglycan and protein synthesis rates in the intervertebral disc, 829
In vivo analysis of microcirculation following closed soft-tissue injury, 678
Transplantation of cryopreserved osteochondral dowel allografts for repair of focal articular defects in an ovine model, 909

Tissue engineering

Bioreactor cultivation conditions modulate the composition and mechanical properties of tissue-engineered cartilage, 130
Hyaluronic acid-based polymers as cell carriers for tissue-engineered repair of bone and cartilage, 205

Titanium alloy

Effect of surface roughness and composition on costochondral chondrocytes is dependent on cell maturation state, 446
Measurement and removal of adherent endotoxin from titanium particles and implant surfaces, 803

Torque

Effects of isokinetic muscle activity on pressure in the supraspinatus muscle and shoulder torque, 546

Transforming growth factor

Osteochondral progenitor cells in acute and chronic canine nonunions, 246
Ultrahigh molecular weight polyethylene particles have direct effects on proliferation, differentiation, and local factor production of MG63 osteoblast-like cells, 9

True bone ceramic

Effects of sintered bovine bone on cell proliferation, collagen synthesis, and osteoblastic expression in MC3T3-E1 osteoblast-like cells, 586

Tumor

Expression of leukemia inhibitory factor by cartilage-forming tumors of bone: an immunohistochemical study, 301
Expression of osteocalcin and its transcriptional regulators *core-binding factor alpha 1* and *MSX2* in osteoid-forming tumours, 633
Multidrug resistance-1 and P-glycoprotein in human chondrosarcoma cell lines: expression correlates with decreased intracellular doxorubicin and *in vitro* chemoresistance, 935

Ultrahigh molecular weight polyethylene

Development of an extremely wear-resistant ultra high molecular weight polyethylene for total hip replacements, 157
Effect of molecular weight, calcium stearate, and sterilization methods on the wear of ultra high molecular weight polyethylene acetabular cups in a hip joint simulator, 329
Ultrahigh molecular weight polyethylene particles have direct effects on proliferation, differentiation, and local factor production of MG63 osteoblast-like cells, 9

Ultrasound

Low-intensity ultrasound stimulates proteoglycan synthesis in rat chondrocytes by increasing aggrecan gene expression, 488

Vertebral body augmentation

Intravertebral body reconstruction with an injectable *in situ*-setting carbonated apatite: biomechanical evaluation of a minimally invasive technique, 67

Vertebral wedge deformity

Mechanical modulation of growth for the correction of vertebral wedge deformities, 518

Wear

Effect of molecular weight, calcium stearate, and sterilization methods on the wear of ultra high molecular weight polyethylene acetabular cups in a hip joint simulator, 329
Polyethylene wear vector *in vivo:* a three-dimensional analysis using retrieved acetabular components and radiographs, 695
Ultrahigh molecular weight polyethylene particles have direct effects on proliferation, differentiation, and local factor production of MG63 osteoblast-like cells, 9